

1/48




Fig. 1

10052688.01802

2/48




Fig. 2A




Fig. 2B

208110-88925007




Fig. 3

2081FO-8892500T 10052688-01.1802

4/48




Fig. 4

1052688.01802




Fig. 5A

6/48




Fig. 5B

10052688.011802

7/48




Fig. 6

10052688-011802

8/48




Fig. 6A




Fig. 6B




Fig. 6C

208110-88925001  
10052688-011802



9/48




Fig. 6D




Fig. 6E




Fig. 6F

208710-88925001




Fig. 7




Fig. 7A

2021101802-011802

11/48




Fig. 8

200810-88925001

12/48




Fig. 9




Fig. 10




Fig. 10A




Fig. 10B

2021-08-25 10:52:58

13/48




Fig. 11




Fig. 11A

208710-88925001

14/48





Fig. 12

10052688-011802

208110" 88925001




Fig. 13




Fig. 13A




Fig. 13C




Fig. 13B




Fig. 13D

16/48




Fig. 14

208110-8892500F



17/48




Fig. 15




Fig. 16A




Fig. 16B

208110-8892500T  
10052688.011802

18/48




Fig. 17

10052688-01.1802

19/48




Fig. 18




Fig. 19

208110-8892501

20/48

Fig. 20




Fig. 21





Fig. 22



10052688.01.1802  
20810.88925001

21/48




Fig. 23

208110-88925001

22/48




Fig. 24

10052588.01.1802

23/48




Fig. 25A




Fig. 25C




Fig. 25B




Fig. 25D

10052688-011802

24/48




Fig. 26

10052688-011802



25/48




Fig. 27

208FO-88925001

26/48




Fig. 28

27/48




Fig. 29




Fig. 30

208TFO-8892500T

28/48




Fig. 31




Fig. 32

208710-88925001




Fig. 33A

10052688-01802

30/48




Fig. 33B

10052688-01802




Fig. 34

20810-88925001

32/48





Fig. 35

208110-88925001



Exp Mail No EV051624433US



*Fig. 36*

34/48




Fig. 37

208710-88925001

35/48





Fig. 38

36/48

CAPILLARY PERFUSION IN NORMAL RAT BRAIN




*Fig. 39*

BEST AVAILABLE COPY

CAPILLARIES IN CORE WITHOUT AORTIC LIGATION

37/48




*Fig. 40*

BEST AVAILABLE COPY

38/48

CAPILLARIES IN PENUMBRA WITHOUT AORTIC LIGATION




*Fig. 41*

BEST AVAILABLE COPY

39/48

CAPILLARIES IN CORE WITH AORTIC LIGATION




*Fig. 42*

BEST AVAILABLE COPY

CAPILLARIES IN PENUMBRA WITH AORTIC LIGATION

40/48



*Fig. 43*

BEST AVAILABLE COPY



41/48




Fig. 44A




Fig. 44B




Fig. 44C




Fig. 44D

10052688-011802

42/48




Fig. 44E




Fig. 44F




Fig. 44G




Fig. 44H

208110-882500F  
10052688-011802

43/48




Fig. 45A






Fig. 45B

208TFO-8892500F  
10052688-011802

44/48



208T0-8892500T  
10052688-01802

45/48




Fig. 47A




Fig. 47B




Fig. 47C




Fig. 47D

208110-88925001

46/48







Fig. 48A

Fig. 48

20810-88925001

2081FO-88925001

47/48



20810-88925001




Fig. 48E




Fig. 48F